The Journal of Head Trauma Rehabilitation®

Cumulative Contents to Volume 17

17:1 February 2002
Driving Assessment and TBI
Maria T. Schulteis, PhD, and C. Alan Hopewell, PhD
Issue Editors

17:2 April 2002
Innovative Approaches to Family Assessment and Intervention
Angelle M. Sander, PhD
Issue Editor

17:3 June 2002
Focus on Clinical Research and Practice, Part 1
Bruce Caplan, PhD, ABPP, and Kathleen Bell, MD
Issue Editors

17:4 August 2002
Selected Reviews in Psychopharmacotherapy
Lawrence J. Horn, MD
Issue Editor

17:5 October 2002
Neuropsychological Technologies
Douglas Chute, PhD
Issue Editor

17:6 December 2002
Focus on Clinical Research and Practice, Part 2
Bruce Caplan, PhD, ABPP, and Kathleen Bell, MD
Issue Editors

Author Index

A

Abraham-Fuchs K *See* Ricker JH

Abreu BC *See* Zhang L

Albert SM, Im A, Brenner L, Smith M, Waxman R: Effect of a social work liaison program on family caregivers to people with brain injury, 17(2):175

Alderson AL, Novack TA: Measuring recovery of orientation during acute rehabilitation for traumatic brain injury: Value and expectations of recovery, 17(3):210

Al-Shihabi T *See* Lengenfelder J

Anselmi V *See* Carnevale GJ

Ashburner J *See* Hillary FG

Ashman T *See* Hibbard MR

Atchison TB *See* Struchen MA

Avner J *See* Hibbard MR

B

Bell KR: From the editor, 17(3):v

Bergman MM: The benefits of a cognitive orthotic in brain injury rehabilitation, 17(5):431

Bérubé JE: Funding brain injury programs: The federal appropriations process, 17(1):62

Bilbie K *See* Morgan A

Biswal BB *See* Hillary FG

Black KL, Hanks RA, Wood DL, Zafonte RD, Cullen N, Cifu DX, Englander J, Francisco GE: Blunt versus penetrating violent traumatic brain injury: Frequency and factors associated with secondary conditions and complications, 17(6):489

Blount PJ, Nguyen CD, McDeavitt JT: Clinical use of cholinomimetic agents: A review, 17(4):314

Borgaro SR, Prigatano GP: Early cognitive and affective sequelae of traumatic brain injury: A study using the BNI Screen for Higher Cerebral Functions, 17(6):526

Braciszewski TL: *Concussive Brain Trauma: Neurobehavioral Impairment and Maladaptation*, by Parker RS (Book Review), 17(1):76

Brenner L *See* Albert SM

Broshek D *See* Erlanger DM

Brouwer WH, Withaar FK, Tant MLM, van Zomeren AH: Attention and driving in traumatic brain injury: A question of coping with time-pressure, 17(1):1

Browndyke J *See* Schatz P

Brunner RC *See* Meythaler JM

Busichio K *See* Carnevale GJ

C

Callahan CD, Hinkebein JH: Assessment of anosmia after traumatic brain injury: Performance characteristics of the University of Pennsylvania Smell Identification Test, 17(3):251

Campbell M: *Rehabilitation for Traumatic Brain Injury: Physical Therapy Practice in Context* (Book Review by Sisto SA), 17(3):268

Cantor J *See* Hibbard MR

Carnevale GJ, Anselmi V, Busichio K, Millis SR: Changes in ratings of caregiver burden following a community-based behavior management program for persons with traumatic brain injury, 17(2):83

Caroselli JS *See* Struchen MA

Charatz H *See* Hibbard MR

Chute DL:
Neuropsychological technologies in rehabilitation, 17(5):369

The Journal of Head Trauma Rehabilitation®

Cumulative Contents to Volume 17

17:1 February 2002
Driving Assessment and TBI
Maria T. Schultheis, PhD, and C. Alan Hopewell, PhD
Issue Editors

17:2 April 2002
Innovative Approaches to Family Assessment and Intervention
Angelle M. Sander, PhD
Issue Editor

17:3 June 2002
Focus on Clinical Research and Practice, Part 1
Bruce Caplan, PhD, ABPP, and Kathleen Bell, MD
Issue Editors

17:4 August 2002
Selected Reviews in Psychopharmacotherapy
Lawrence J. Horn, MD
Issue Editor

17:5 October 2002
Neuropsychological Technologies
Douglas Chute, PhD
Issue Editor

17:6 December 2002
Focus on Clinical Research and Practice, Part 2
Bruce Caplan, PhD, ABPP, and Kathleen Bell, MD
Issue Editors

Author Index

A

Abraham-Fuchs K *See* Ricker JH

Abreu BC *See* Zhang L

Albert SM, Im A, Brenner L, Smith M, Waxman R: Effect of a social work liaison program on family caregivers to people with brain injury, 17(2):175

Alderson AL, Novack TA: Measuring recovery of orientation during acute rehabilitation for traumatic brain injury: Value and expectations of recovery, 17(3):210

Al-Shihabi T *See* Lengenfelder J

Anselmi V *See* Carnevale GJ

Ashburner J *See* Hillary FG

Ashman T *See* Hibbard MR

Atchison TB *See* Struchen MA

Avner J *See* Hibbard MR

B

Bell KR: From the editor, 17(3):v

Bergman MM: The benefits of a cognitive orthotic in brain injury rehabilitation, 17(5):431

Bérubé JE: Funding brain injury programs: The federal appropriations process, 17(1):62

Bilbie K *See* Morgan A

Biswal BB *See* Hillary FG

Black KL, Hanks RA, Wood DL, Zafonte RD, Cullen N, Cifu DX, Englander J, Francisco GE: Blunt versus penetrating violent traumatic brain injury: Frequency and factors associated with secondary conditions and complications, 17(6):489

Blount PJ, Nguyen CD, McDeavitt JT: Clinical use of cholinomimetic agents: A review, 17(4):314

Borgaro SR, Prigatano GP: Early cognitive and affective sequelae of traumatic brain injury: A study using the BNI Screen for Higher Cerebral Functions, 17(6):526

Braciszewski TL: *Concussive Brain Trauma: Neurobehavioral Impairment and Maladaptation*, by Parker RS (Book Review), 17(1):76

Brenner L *See* Albert SM

Broshek D *See* Erlanger DM

Brouwer WH, Withaar FK, Tant MLM, van Zomeren AH: Attention and driving in traumatic brain injury: A question of coping with time-pressure, 17(1):1

Browndyke J *See* Schatz P

Brunner RC *See* Meythaler JM

Busichio K *See* Carnevale GJ

C

Callahan CD, Hinkebein JH: Assessment of anosmia after traumatic brain injury: Performance characteristics of the University of Pennsylvania Smell Identification Test, 17(3):251

Campbell M: *Rehabilitation for Traumatic Brain Injury: Physical Therapy Practice in Context* (Book Review by Sisto SA), 17(3):268

Cantor J *See* Hibbard MR

Carnevale GJ, Anselmi V, Busichio K, Millis SR: Changes in ratings of caregiver burden following a community-based behavior management program for persons with traumatic brain injury, 17(2):83

Caroselli JS *See* Struchen MA

Charatz H *See* Hibbard MR

Chute DL:
Neuropsychological technologies in rehabilitation, 17(5):369

See also Schatz P; Zabel TA

Cifu DX *See* Black KL

Coleman RD *See* Ergh TC

Collins KD: *Cognitive Neurorehabilitation*, by Struss DT, Winocur G, Robertson IH (Book Review), 17(1):79

Cullen N *See* Black KL; Zafonte RD

D

DeLuca J *See* Hillary FG; Lengenfelder J; Ricker JH; Schultheis MT

Demm SR *See* Kreutzer JS

Dillman-Long J *See* Esselman PC

Donders J: *Rehabilitation of Neuropsychological Disorders: A Practical Guide for Rehabilitation Professionals*, by Johnstone B, Stonnington HH (Book Review), 17(3):264

Drotar D *See* Wade SL

Dunnett SB *See* Fawcett JW

E

Englander J *See* Black KL

Ergh TC, Rapport LJ, Coleman RD, Hanks RA: Predictors of caregiver and family functioning following traumatic brain injury: Social support moderates caregiver distress, 17(2):155

Erlanger DM, Kaushik T, Broshek D, Freeman J, Feldman D, Festa J: Development and validation of a Web-based screening tool for monitoring cognitive status, 17(5):458

Esselman PC, Dillman-Long J: Morbidity and management conference: An approach to quality improvement in brain injury rehabilitation, 17(3):257

Evans JJ *See* Wilson BA

F

Fawcett JW, Rosser AE, Dunnett SB: *Brain Damage, Brain Repair* (Book Review by Lanham RA Jr), 17(3):270

Feldman D *See* Erlanger DM

Festa J *See* Erlanger DM

Fisk GD, Novack T, Mennemeier M, Roenker D: Usefield field of view after traumatic brain injury, 17(1):16

Francisco GE *See* Black KL

Freeman J *See* Erlanger DM

G

Garay E *See* Ricker JH

Gartner A *See* Hibbard MR

Germain A *See* Ricker JH

Glenn MB: A differential diagnostic approach to the pharmacological treatment of cognitive, behavioral, and affective disorders after traumatic brain injury, 17(4):273

Gonzales V *See* Zhang L

Gordon W *See* Hibbard MR

Gourley E *See* Kreutzer J

Grieb-Neff P *See* Whyte J

Gundersen N *See* Hibbard MR

H

Hanks RA *See* Black KL; Ergh TC; Ylvisaker M

Hart T *See* Whyte J

Hart T, Hawkey K, Whyte J: Use of a portable voice organizer to remember therapy goals in traumatic brain injury rehabilitation: A within-subjects trial, 17(6):556

Hauber RP, Jones ML: Telerehabilitation support for families at home caring for individuals in prolonged states of reduced consciousness, 17(6):535

Hawkey K *See* Hart T

Hess DW: *Minor Traumatic Brain Injury Handbook: Diagnosis and Treatment*, by Jay GW (Book Review), 17(3):266

Hibbard MR, Cantor J, Charatz H, Rosenthal R, Ashman T, Gundersen N, Ireland-Knight L, Gordon W, Avner J, Gartner A: Peer support in the community: Initial findings of a mentoring program for individuals with traumatic brain injury and their families, 17(2):112

Hillary FG *See* Schatz P

Hillary FG, Steffener J, Biswal BB, Lange G, DeLuca J, Ashburner J: Functional magnetic resonance imaging technology and traumatic brain injury rehabilitation: Guidelines for methodological and conceptual pitfalls, 17(5):411

Himelstein J *See* Schultheis MT

Hinkebein JH *See* Callahan CD

Hopewell CA: Driving assessment issues for practicing clinicians, 17(1):48

Horn LJ: Selected reviews in psychopharmacology (Preface), 17(4):v

I

Im A *See* Albert SM

Ireland-Knight L *See* Hibbard MR

J

Jay GW: *Minor Traumatic Brain Injury Handbook: Diagnosis and Treatment* (Book Review by Hess DW), 17(3):266

Johnson A *See* Meythaler JM

Johnson-Greene D *See* Ylvisaker M

Johnstone B, Stonnington HH: *Rehabilitation of Neuropsychological Disorders: A Practical Guide for Rehabilitation Professionals* (Book Review by Donders J), 17(3):264

Jones ML *See* Hauber RP

K

Kaushik T *See* Erlanger DM

Keohane C *See* Wilson BA

Kolakowsky-Hayner SA *See* Kreutzer JS

Kreutzer J, Seel RT, Gourley E: The prevalence and symptom rates of depression after traumatic brain injury: A comprehensive examination (Abstract by Laborde AT), 17(1):74

Kreutzer JS, Kolakowsky-Hayner SA, Demm SR, Meade MA: A structured approach to family intervention after brain injury, 17(4):349

L

Laborde AT:

Posttraumatic headache, by Solomon S (Abstract), 17(1):74

The prevalence and symptom rates of depression after traumatic brain injury: A comprehensive examination, by Kreutzer J, Seel RT, Gourley E (Abstract), 17(1):74

Lange G *See* Hillary FG

Lanham RA Jr: *Brain Damage, Brain Repair,* by Fawcett JW, Rosser AE, Dunnett SB (Book Review), 17(3):270

Lengenfelder J, Schultheis MT, Al-Shihabi T, Mourant R, DeLuca J: Divided attention and driving: A pilot study using virtual reality technology, 17(1):26

Lexell J *See* Zafonte RD

Lynch B: Historical review of computer-assisted cognitive retraining, 17(5):446

Lynch WJ: Assessment in traumatic brain injury: Update on recent developments, 17(1):66

M

Masel B *See* Zhang L

Mateer CA *See* Sohlberg MM

Matheis RJ *See* Schultheis MT

Mayer NH: From the editor, 17(1):v

McDeavitt JT *See* Blount PJ

Meade MA *See* Kreutzer JS

Mennemeier M *See* Fisk GD

Meythaler JM, Brunner RC, Johnson A, Novack TA: Amantadine to improve neurorecovery in traumatic brain injury–associated diffuse axonal injury: A pilot double-blind randomized trial, 17(4):300

Millis SR *See* Carnevale GJ

Minich NM *See* Wade SL

Moelter ST *See* Schatz P

Morgan A, Ward E, Murdoch B, Bilbie K: Acute characteristics of pediatric dysphagia subsequent to traumatic brain injury: Videofluoroscopic assessment, 17(3):220

Mourant R *See* Lengenfelder J

Murdoch B *See* Morgan A

Murrey GJ: *The Forensic Evaluation of Traumatic Brain Injury: A Handbook for Clinicians and Attorneys* (Book Review by Schopp L), 17(3):263

Myers MA *See* Thaxton L

N

Nead R *See* Schultheis MT

Nguyen CD *See* Blount PJ

Novack TA *See* Alderson AL; Fisk GD; Meythaler JM

O

Ottenbacher KJ *See* Zhang L

P

Parker RS: *Concussive Brain Trauma: Neurobehavioral Impairment and Maladaptation* (Book Review by Braciszewski TL), 17(1):76

Prigatano GP *See* Borgaro SR

R

Rapport LJ *See* Ergh TC

Ricker JH, Rosenthal M, Garay E, DeLuca J, Germain A, Abraham-Fuchs K, Schmidt K-U: Telerehabilitation needs: A survey of persons with acquired brain injury, 17(3):242

Rizzo AA *See* Schultheis MT

Robertson IH *See* Stuss DT

Roebuck TM *See* Struchen MA

Roenker D *See* Fisk GD

Rosenthal M *See* Ricker JH

Rosenthal R *See* Hibbard MR

Rosser AE *See* Fawcett JW

S

Sander AM:

Innovative approaches to family assessment and intervention (Preface), 17(2):v

See also Struchen MA

Schatz P, Browndyke J: Applications of computer-based neuropsychological assessment, 17(5):395

Schatz P, Hillary FG, Moelter ST, Chute DL: Retrospective assessment of rehabilitation outcome after traumatic brain injury: Development and utility of the Functional Independence Level, 17(6):510

Schmidt K-U *See* Ricker JH

Schopp L: *The Forensic Evaluation of Traumatic Brain Injury: A Handbook for Clinicians and Attorneys,* by Murrey GJ (Book Review), 17(3):263

Schultheis MT:

Driving assessment and TBI (Preface), 17(1):vi

See also Lengenfelder J

Schultheis MT, Himelstein J, Rizzo AA: Virtual reality and neuropsychology: Upgrading the current tools, 17(5):378

Schultheis MT, Matheis RJ, Nead R, DeLuca J: Driving behaviors following brain injury: Self-report and motor vehicle records, 17(1):38

Seale G *See* Zhang L

Seel RT *See* Kreutzer J

Sisto SA: *Rehabilitation for Traumatic Brain Injury: Physical Therapy Practice in Context*, by Campbell M (Book Review), 17(3):268

Smith M *See* Albert SM

Sohlberg MM, Mateer CA: *Cognitive Rehabilitation: An Integrative Psychological Approach* (Book Review by Willmuth ME), 17(6):575

Solomon S: Posttraumatic headache (Abstract by Laborde AT), 17(1):74

Stancin T *See* Wade SL

Steffener J *See* Hillary FG

Stonnington HH *See* Johnstone B

Struchen MA, Atchison TB, Roebuck TM, Caroselli JS, Sander AM: A multidimensional measure of caregiving appraisal: Validation of the Caregiver Appraisal Scale in traumatic brain injury, 17(2):132

Stuss DT, Winocur G, Robertson IH: *Cognitive Neurorehabilitation* (Book Review by Collins KD), 17(1):79

T

Tant MLM *See* Brouwer WH

Taylor HG *See* Wade SL

Thaxton L, Myers MA: Sleep disturbances and their management in patients with brain injury, 17(4):335

V

Vaccaro M *See* Whyte J

van Zomeren AH *See* Brouwer WH

W

Wade SL, Taylor HG, Drotar D, Stancin T, Yeates KO, Minich NM: A prospective study of long-term caregiver and family adaptation following brain injury in children, 17(2):96

Ward E *See* Morgan A

Waxman R *See* Albert SM

Whyte J *See* Hart T

Whyte J, Vaccaro M, Grieb-Neff P, Hart T: Psychostimulant use in the rehabilitation of individuals with traumatic brain injury, 17(4):284

Willmuth ME: *Cognitive Rehabilitation: An Integrative Psychological Approach*, by Sohlberg MM, Mateer CA (Book Review), 17(6):575

Wilson BA, Evans JJ, Koehane C: Cognitive rehabilitation: A goal-planning approach, 17(6):542

Winocur G *See* Stuss DT

Winslade WJ: The minimally conscious patient: When can life support be terminated?, 17(1):71

Withaar FK *See* Brouwer WH

Wood DL *See* Black KL

Wroblewski B: The cytochrome P-450 drug metabolizing enzyme system: An overview of potential clinically important drug interactions, 17(6):571

Y

Yeates KO *See* Wade SL

Ylvisaker M, Hanks R, Johnson-Greene D: Perspectives on rehabilitation of individuals with cognitive impairment after brain injury: Rationale for reconsideration of theoretical paradigms, 17(3):191

Z

Zabel TA, Chute DL: Educational neuroimaging: A proposed neuropsychological application of near-infrared spectroscopy, 17(5):477

Zafonte RD *See* Black KL

Zafonte RD, Cullen N, Lexell J: Serotonin agents in the treatment of acquired brain injury, 17(4):322

Zhang L, Abreu BC, Gonzales V, Seale G, Masel B, Ottenbacher KJ: Comparison of the Community Integration Questionnaire, the Craig Handicap Assessment and Reporting Technique, and the Disability Rating Scale in traumatic brain injury, 17(6):497

Subject Index

A

Abstracts

Posttraumatic headache, Solomon S (abstracted by Laborde AT), 17(1):74

The prevalence and symptom rates of depression after traumatic brain injury: A comprehensive examination, Kreutzer J, Seel RT, Gourley E (abstracted by Laborde AT), 17(1):74

Adaptation

A prospective study of long-term caregiver and family adaptation following brain injury in children, Wade SL, Taylor HG, Drotar D, Stancin T, Yeates KO, Minich NM, 17(2):96

Affective disorders

A differential diagnostic approach to the pharmacological treatment of cognitive, behavioral, and affective disorders after traumatic brain injury, Glenn MB, 17(4):273

Early cognitive and affective sequelae of traumatic brain injury: A study using the BNI Screen for Higher Cerebral Functions, Borgaro SR, Prigatano GP, 17(6):526

Aggression

A differential diagnostic approach to the pharmacological treatment of cognitive, behavioral, and affective disorders after traumatic brain injury, Glenn MB, 17(4):273

Amantadine

Amantadine to improve neurorecovery in traumatic brain injury–associated diffuse axonal injury: A pilot double-blind randomized trial, Meythaler JM, Brunner RC, Johnson A, Novack TA, 17(4):300

Antidepressants

Serotonin agents in the treatment of acquired brain injury, Zafonte RD, Cullen N, Lexell J, 17(4):322

Anxiety

A differential diagnostic approach to the pharmacological treatment of cognitive, behavioral, and affective disorders after traumatic brain injury, Glenn MB, 17(4):273

Assessment instruments

Applications of computer-based neuropsychological assessment, Schatz P, Browndyke J, 17(5):395

Assessment in traumatic brain injury: Update on recent developments, Lynch WJ, 17(1):66

Comparison of the Community Integration Questionnaire, the Craig Handicap Assessment and Reporting Technique, and the Disability Rating Scale in traumatic brain injury, Zhang L, Abreu BC, Gonzales V, Seale G, Masel B, Ottenbacher KJ, 17(6):497

Development and validation of a Web-based screening tool for monitoring cognitive status, Erlanger DM, Kaushik T, Broshek D, Freeman J, Feldman D, Festa J, 17(5):458

A multidimensional measure of caregiving appraisal: validation of the Caregiver Appraisal Scale in traumatic brain injury, Struchen MA, Atchison TB, Roebuck TM, Caroselli JS, Sander AM, 17(2):132

Predictors of caregiver and family functioning following traumatic brain injury: Social support moderates caregiver distress, Ergh TC, Rapport LJ, Coleman RD, Hanks RA, 17(2):155

Retrospective assessment of rehabilitation outcome after traumatic brain injury: Development and utility of the Functional Independence Level, Schatz P, Hillary FG, Moelter ST, Chute DL, 17(6):510

Attentional deficits

Attention and driving in traumatic brain injury: A question of coping with time-pressure, Brouwer WH, Withaar FK, Tant MLM, van Zomeren AH, 17(1):1

A differential diagnostic approach to the pharmacological treatment of cognitive, behavioral, and affective disorders after traumatic brain injury, Glenn MB, 17(4):273

Divided attention and driving: A pilot study using virtual reality technology, Lengenfelder J, Schultheis MT, Al-Shihabi T, Mourant R, DeLuca J, 17(1):26

Psychostimulant use in the rehabilitation of individuals with traumatic brain injury, Whyte J, Vaccaro M, Grieb-Neff P, Hart T, 17(4):284

Useful field of view after traumatic brain injury, Fisk GD, Novack T, Mennemeier M, Roenker D, 17(1):16

B

Barrow Neurological Institute Screen for Higher Cerebral Functions

Early cognitive and affective sequelae of traumatic brain injury: A study using the BNI Screen for Higher Cerebral Functions, Borgaro SR, Prigatano GP, 17(6):526

Behavior

Changes in ratings of caregiver burden following a community-based behavior management program for persons with traumatic brain injury, Carnevale GJ, Anselmi V, Busichio K, Millis SR, 17(2):83

A differential diagnostic approach to the pharmacological treatment of cognitive, behavioral, and affective disorders after traumatic brain injury, Glenn MB, 17(4):273

Early cognitive and affective sequelae of traumatic brain injury: A study using the BNI Screen for Higher Cerebral Functions, Borgaro SR, Prigatano GP, 17(6):526

Blunt injury

Blunt versus penetrating violent traumatic brain injury: Frequency and factors associated with secondary conditions and complications, Black KL, Hanks RA, Wood DL, Zafonte RD, Cullen N, Cifu DX, Englander J, Francisco GE, 17(6):489

Book reviews

Brain Damage, Brain Repair, Fawcett JW, Rosser AE, Dunnett SB (reviewed by Lanham RA Jr), 17(3):270

Cognitive Neurorehabilitation, Stuss DT, Winocur G, Robertson IH (reviewed by Collins KD), 17(1):79

Cognitive Rehabilitation: An Integrative Psychological Approach, Sohlberg MM, Mateer CA (reviewed by Willmuth ME), 17(6):575

Concussive Brain Trauma: Neurobehavioral Impairment and Maladaptation, Parker RS (reviewed by Braciszewski TL), 17(1):76

The Forensic Evaluation of Traumatic Brain Injury: A Handbook for Clinicians and Attorneys, Murrey GJ (reviewed by Schopp L), 17(3):263

Minor Traumatic Brain Injury Handbook: Diagnosis and Treatment, Jay GW (reviewed by Hess DW), 17(3):266

Rehabilitation for Traumatic Brain Injury: Physical Therapy Practice in Context, Campbell M (reviewed by Sisto SA), 17(3):268

Rehabilitation of Neuropsychological Disorders: A Practical Guide for Rehabilitation Professionals, Johnstone B, Stonnington HH (reviewed by Donders J), 17(3):264

Brain imaging

Educational neuroimaging: A proposed neuropsychological application of near-infrared spectroscopy, Zabel TA, Chute DL, 17(5):477

Functional magnetic resonance imaging technology and traumatic brain injury rehabilitation: Guidelines for methodological and conceptual pitfalls, Hillary FG, Steffener J, Biswal BB, Lange G, DeLuca J, Ashburner J, 17(5):411

C

California Verbal Learning Test-II

Assessment in traumatic brain injury: Update on recent developments, Lynch WJ, 17(1):66

Caregiver Appraisal Scale

A multidimensional measure of caregiving appraisal: validation of the Caregiver Appraisal Scale in traumatic brain injury, Struchen MA, Atchison TB, Roebuck TM, Caroselli JS, Sander AM, 17(2):132

Caregivers

Changes in ratings of caregiver burden following a community-based behavior management program for persons with traumatic brain injury, Carnevale GJ, Anselmi V, Busichio K, Millis SR, 17(2):83

Effect of a social work liaison program on family caregivers to people with brain injury, Albert SM, Im A, Brenner L, Smith M, Waxman R, 17(2): 175

A multidimensional measure of caregiving appraisal: validation of the Caregiver Appraisal Scale in traumatic brain injury, Struchen MA, Atchison TB, Roebuck TM, Caroselli JS, Sander AM, 17(2):132

Peer support in the community: Initial findings of a mentoring program for individuals with traumatic brain injury and their families, Hibbard MR, Cantor J, Charatz H, Rosenthal R, Ashman T, Gundersen N, Ireland-Knight L, Gordon W, Avner J, Gartner A, 17(2):112

Predictors of caregiver and family functioning following traumatic brain injury: Social support moderates caregiver distress, Ergh TC, Rapport LJ, Coleman RD, Hanks RA, 17(2):155

A prospective study of long-term caregiver and family adaptation following brain injury in children, Wade SL, Taylor HG, Drotar D, Stancin T, Yeates KO, Minich NM, 17(2):96

Telerehabilitation support for families at home caring for individuals in prolonged states of reduced consciousness, Hauber RP, Jones ML, 17(6):535

Children *See* **Pediatric head injury**

Cholinomimetic agents

Clinical use of cholinomimetic agents: A review, Blount PJ, Nguyen CD, McDeavitt JT, 17(4):314

Citicoline

Clinical use of cholinomimetic agents: A review, Blount PJ, Nguyen CD, McDeavitt JT, 17(4):314

Clinical research and practice

Acute characteristics of pediatric dysphagia subsequent to traumatic brain injury: Videofluoroscopic assessment, Morgan A, Ward E, Murdoch B, Bilbie K, 17(3):220

Blunt versus penetrating violent traumatic brain injury: Frequency and factors associated with secondary conditions and complications, Black KL, Hanks RA, Wood DL, Zafonte RD, Cullen N, Cifu DX, Englander J, Francisco GE, 17(6):489

Cognitive rehabilitation: A goal-planning approach, Wilson BA, Evans JJ, Keohane C, 17(6):542

Comparison of the Community Integration Questionnaire, the Craig Handicap Assessment and Reporting Technique, and the Disability Rating Scale in traumatic brain injury, Zhang L, Abreu BC, Gonzales V, Seale G, Masel B, Ottenbacher KJ, 17(6):497

The cytochrome P-450 drug metabolizing enzyme system: An overview of potential clinically important drug interactions, Wroblewski B, 17(6):571

Early cognitive and affective sequelae of traumatic brain injury: A study using the BNI Screen for Higher Cerebral Functions, Borgaro SR, Prigatano GP, 17(6):526

Measuring recovery of orientation during acute rehabilitation for traumatic brain injury: Value and expectations of recovery, Alderson AL, Novack TA, 17(3):210

Morbidity and management conference: An approach to quality improvement in brain injury rehabilitation, Esselman PC, Dillman-Long J, 17(3):257

Perspectives on rehabilitation of individuals with cognitive impairment after brain injury: Rationale

for reconsideration of theoretical paradigms, Ylvisaker M, Hanks R, Johnson-Greene D, 17(3): 191

Retrospective assessment of rehabilitation outcome after traumatic brain injury: Development and utility of the Functional Independence Level, Schatz P, Hillary FG, Moelter ST, Chute DL, 17(6):510

Telerehabilitation needs: A survey of persons with acquired brain injury, Ricker JH, Rosenthal M, Garay E, DeLuca J, Germain A, Abraham-Fuchs K, Schmidt K-U, 17(3):242

Telerehabilitation support for families at home caring for individuals in prolonged states of reduced consciousness, Hauber RP, Jones ML, 17(6):535

Use of a portable voice organizer to remember therapy goals in traumatic brain injury rehabilitation: A within-subjects trial, Hart T, Hawkey K, Whyte J, 17(6):556

Clinical trials

Amantadine to improve neurorecovery in traumatic brain injury–associated diffuse axonal injury: A pilot double-blind randomized trial, Meythaler JM, Brunner RC, Johnson A, Novack TA, 17(4):300

Cognitive impairment

Attention and driving in traumatic brain injury: A question of coping with time-pressure, Brouwer WH, Withaar FK, Tant MLM, van Zomeren AH, 17(1):1

Development and validation of a Web-based screening tool for monitoring cognitive status, Erlanger DM, Kaushik T, Broshek D, Freeman J, Feldman D, Festa J, 17(5):458

A differential diagnostic approach to the pharmacological treatment of cognitive, behavioral, and affective disorders after traumatic brain injury, Glenn MB, 17(4):273

Early cognitive and affective sequelae of traumatic brain injury: A study using the BNI Screen for Higher Cerebral Functions, Borgaro SR, Prigatano GP, 17(6):526

Perspectives on rehabilitation of individuals with cognitive impairment after brain injury: Rationale for reconsideration of theoretical paradigms, Ylvisaker M, Hanks R, Johnson-Greene D, 17(3): 191

Cognitive Linguistic Quick Test

Assessment in traumatic brain injury: Update on recent developments, Lynch WJ, 17(1):66

Cognitive rehabilitation

The benefits of a cognitive orthotic in brain injury rehabilitation, Bergman MM, 17(5):431

Cognitive rehabilitation: A goal-planning approach, Wilson BA, Evans JJ, Keohane C, 17(6):542

Educational neuroimaging: A proposed neuropsychological application of near-infrared spectroscopy, Zabel TA, Chute DL, 17(5):477

Historical review of computer-assisted cognitive retraining, Lynch B, 17(5):446

Neuropsychological technologies in rehabilitation, Chute DL, 17(5):369

Perspectives on rehabilitation of individuals with cognitive impairment after brain injury: Rationale for reconsideration of theoretical paradigms, Ylvisaker M, Hanks R, Johnson-Greene D, 17(3): 191

Use of a portable voice organizer to remember therapy goals in traumatic brain injury rehabilitation: A within-subjects trial, Hart T, Hawkey K, Whyte J, 17(6):556

Community-based interventions

Changes in ratings of caregiver burden following a community-based behavior management program for persons with traumatic brain injury, Carnevale GJ, Anselmi V, Busichio K, Millis SR, 17(2):83

Effect of a social work liaison program on family caregivers to people with brain injury, Albert SM, Im A, Brenner L, Smith M, Waxman R, 17(2):175

Peer support in the community: Initial findings of a mentoring program for individuals with traumatic brain injury and their families, Hibbard MR, Cantor J, Charatz H, Rosenthal R, Ashman T, Gundersen N, Ireland-Knight L, Gordon W, Avner J, Gartner A, 17(2):112

Community Integration Questionnaire

Comparison of the Community Integration Questionnaire, the Craig Handicap Assessment and Reporting Technique, and the Disability Rating Scale in traumatic brain injury, Zhang L, Abreu BC, Gonzales V, Seale G, Masel B, Ottenbacher KJ, 17(6):497

Complications

Blunt versus penetrating violent traumatic brain injury: Frequency and factors associated with secondary conditions and complications, Black KL, Hanks RA, Wood DL, Zafonte RD, Cullen N, Cifu DX, Englander J, Francisco GE, 17(6):489

Computer applications

Applications of computer-based neuropsychological assessment, Schatz P, Browndyke J, 17(5):395

The benefits of a cognitive orthotic in brain injury rehabilitation, Bergman MM, 17(5):431

Development and validation of a Web-based screening tool for monitoring cognitive status, Erlanger DM, Kaushik T, Broshek D, Freeman J, Feldman D, Festa J, 17(5):458

Divided attention and driving: A pilot study using virtual reality technology, Lengenfelder J, Schultheis MT, Al-Shihabi T, Mourant R, DeLuca J, 17(1):26

Educational neuroimaging: A proposed neuropsychological application of near-infrared spectroscopy, Zabel TA, Chute DL, 17(5):477

Historical review of computer-assisted cognitive retraining, Lynch B, 17(5):446

Virtual reality and neuropsychology: Upgrading the current tools, Schultheis MT, Himelstein J, Rizzo AA, 17(5):378

Craig Handicap Assessment and Reporting Technique

Comparison of the Community Integration Questionnaire, the Craig Handicap Assessment and Reporting Technique, and the Disability Rating Scale in traumatic brain injury, Zhang L, Abreu BC, Gonzales V, Seale G, Masel B, Ottenbacher KJ, 17(6):497

Cytochrome P-450 enzyme system

The cytochrome P-450 drug metabolizing enzyme system: An overview of potential clinically important drug interactions, Wroblewski B, 17(6):571

D

Diagnosis *See also* **Assessment instruments**

A differential diagnostic approach to the pharmacological treatment of cognitive, behavioral, and affective disorders after traumatic brain injury, Glenn MB, 17(4):273

Diffuse axonal injury

Amantadine to improve neurorecovery in traumatic brain injury–associated diffuse axonal injury: A pilot double-blind randomized trial, Meythaler JM, Brunner RC, Johnson A, Novack TA, 17(4):300

Disability Rating Scale

Comparison of the Community Integration Questionnaire, the Craig Handicap Assessment and Reporting Technique, and the Disability Rating Scale in traumatic brain injury, Zhang L, Abreu BC, Gonzales V, Seale G, Masel B, Ottenbacher KJ, 17(6):497

Donepezil

Clinical use of cholinomimetic agents: A review, Blount PJ, Nguyen CD, McDeavitt JT, 17(4):314

Driving skills

Attention and driving in traumatic brain injury: A question of coping with time-pressure, Brouwer WH, Withaar FK, Tant MLM, van Zomeren AH, 17(1):1

Divided attention and driving: A pilot study using virtual reality technology, Lengenfelder J, Schultheis MT, Al-Shihabi T, Mourant R, DeLuca J, 17(1):26

Driving assessment issues for practicing clinicians, Hopewell CA, 17(1):48

Driving behaviors following brain injury: Self-report and motor vehicle records, Schultheis MT, Matheis RJ, Nead R, DeLuca J, 17(1):38

Useful field of view after traumatic brain injury, Fisk GD, Novack T, Mennemeier M, Roenker D, 17(1):16

Drug interactions

The cytochrome P-450 drug metabolizing enzyme system: An overview of potential clinically important drug interactions, Wroblewski B, 17(6):571

Dysphagia

Acute characteristics of pediatric dysphagia subsequent to traumatic brain injury: Videofluoroscopic assessment, Morgan A, Ward E, Murdoch B, Bilbie K, 17(3):220

E

Ethical issues

The minimally conscious patient: When can life support be terminated?, Winslade WJ, 17(1):71

F

Family

Changes in ratings of caregiver burden following a community-based behavior management program for persons with traumatic brain injury, Carnevale GJ, Anselmi V, Busichio K, Millis SR, 17(2):83

Effect of a social work liaison program on family caregivers to people with brain injury, Albert SM, Im A, Brenner L, Smith M, Waxman R, 17(2):175

A multidimensional measure of caregiving appraisal: validation of the Caregiver Appraisal Scale in traumatic brain injury, Struchen MA, Atchison TB, Roebuck TM, Caroselli JS, Sander AM, 17(2):132

Peer support in the community: Initial findings of a mentoring program for individuals with traumatic brain injury and their families, Hibbard MR, Cantor J, Charatz H, Rosenthal R, Ashman T, Gundersen N, Ireland-Knight L, Gordon W, Avner J, Gartner A, 17(2):112

Predictors of caregiver and family functioning following traumatic brain injury: Social support moderates caregiver distress, Ergh TC, Rapport LJ, Coleman RD, Hanks RA, 17(2):155

A prospective study of long-term caregiver and family adaptation following brain injury in children, Wade SL, Taylor HG, Drotar D, Stancin T, Yeates KO, Minich NM, 17(2):96

A structured approach to family intervention after brain injury, Kreutzer JS, Kolakowsky-Hayner SA, Demm SR, Meade MA, 17(4):349

Telerehabilitation support for families at home caring for individuals in prolonged states of reduced consciousness, Hauber RP, Jones ML, 17(6):535

Federal funding

Funding brain injury programs: The federal appropriations process, Berube JE, 17(1):62

Functional Independence Level

Retrospective assessment of rehabilitation outcome after traumatic brain injury: Development and utility of the Functional Independence Level, Schatz P, Hillary FG, Moelter ST, Chute DL, 17(6):510

G

Goals of therapy

Cognitive rehabilitation: A goal-planning approach, Wilson BA, Evans JJ, Keohane C, 17(6):542

Use of a portable voice organizer to remember therapy goals in traumatic brain injury rehabilitation: A within-subjects trial, Hart T, Hawkey K, Whyte J, 17(6):556

H

Hopkins Verbal Learning Test-Revised

Assessment in traumatic brain injury: Update on recent developments, Lynch WJ, 17(1):66

I

Interventions

Amantadine to improve neurorecovery in traumatic brain injury–associated diffuse axonal injury: A pilot double-blind randomized trial, Meythaler JM, Brunner RC, Johnson A, Novack TA, 17(4):300

Changes in ratings of caregiver burden following a community-based behavior management program for persons with traumatic brain injury, Carnevale GJ, Anselmi V, Busichio K, Millis SR, 17(2):83

Clinical use of cholinomimetic agents: A review, Blount PJ, Nguyen CD, McDeavitt JT, 17(4): 314

Effect of a social work liaison program on family caregivers to people with brain injury, Albert SM, Im A, Breaner L, Smith M, Waxman R, 17(2): 175

Peer support in the community: Initial findings of a mentoring program for individuals with traumatic brain injury and their families, Hibbard MR, Cantor J, Charatz H, Rosenthal R, Ashman T, Gundersen N, Ireland-Knight L, Gordon W, Avner J, Gartner A, 17(2):112

Psychostimulant use in the rehabilitation of individuals with traumatic brain injury, Whyte J, Vaccaro M, Grieb-Neff P, Hart T, 17(4):284

Serotonin agents in the treatment of acquired brain injury, Zafonte RD, Cullen N, Lexell J, 17(4):322

Sleep disturbances and their management in patients with brain injury, Thaxton L, Myers MA, 17(4):335

A structured approach to family intervention after brain injury, Kreutzer JS, Kolakowsky-Hayner SA, Demm SR, Meade MA, 17(4):349

Telerehabilitation needs: A survey of persons with acquired brain injury, Ricker JH, Rosenthal M, Garay E, DeLuca J, Germain A, Abraham-Fuchs K, Schmidt K-U, 17(3):242

Telerehabilitation support for families at home caring for individuals in prolonged states of reduced consciousness, Hauber RP, Jones ML, 17(6):535

L

Legal issues

Driving behaviors following brain injury: Self-report and motor vehicle records, Schultheis MT, Matheis RJ, Nead R, DeLuca J, 17(1):38

The minimally conscious patient: When can life support be terminated?, Winslade WJ, 17(1):71

Life support

The minimally conscious patient: When can life support be terminated?, Winslade WJ, 17(1):71

M

Magnetic resonance imaging

Functional magnetic resonance imaging technology and traumatic brain injury rehabilitation: Guidelines for methodological and conceptual pitfalls, Hillary FG, Steffener J, Biswal BB, Lange G, DeLuca J, Ashburner J, 17(5):411

Measurement *See also* **Assessment instruments**

Applications of computer-based neuropsychological assessment, Schatz P, Browndyke J, 17(5):395

Assessment in traumatic brain injury: Update on recent developments, Lynch WJ, 17(1):66

Measuring recovery of orientation during acute rehabilitation for traumatic brain injury: Value and expectations of recovery, Alderson AL, Novack TA, 17(3):210

A multidimensional measure of caregiving appraisal: validation of the Caregiver Appraisal Scale in traumatic brain injury, Struchen MA, Atchison TB, Roebuck TM, Caroselli JS, Sander AM, 17(2):132

Mechanism of injury

Blunt versus penetrating violent traumatic brain injury: Frequency and factors associated with secondary conditions and complications, Black KL, Hanks RA, Wood DL, Zafonte RD, Cullen N, Cifu DX, Englander J, Francisco GE, 17(6):489

Memory impairment *See also* **Cognitive impairment**

A differential diagnostic approach to the pharmacological treatment of cognitive, behavioral, and affective disorders after traumatic brain injury, Glenn MB, 17(4):273

Psychostimulant use in the rehabilitation of individuals with traumatic brain injury, Whyte J, Vaccaro M, Grieb-Neff P, Hart T, 17(4):284

Mentoring programs

Peer support in the community: Initial findings of a mentoring program for individuals with traumatic brain injury and their families, Hibbard MR, Cantor J, Charatz H, Rosenthal R, Ashman T, Gundersen N, Ireland-Knight L, Gordon W, Avner J, Gartner A, 17(2):112

Morbidity and management conference

Morbidity and management conference: An approach to quality improvement in brain injury rehabilitation, Esselman PC, Dillman-Long J, 17(3):257

Motor vehicle safety

Attention and driving in traumatic brain injury: A question of coping with time-pressure, Brouwer WH, Withaar FK, Tant MLM, van Zomeren AH, 17(1):1

Divided attention and driving: A pilot study using virtual reality technology, Lengenfelder J, Schultheis MT, Al-Shihabi T, Mourant R, DeLuca J, 17(1):26

Driving assessment issues for practicing clinicians, Hopewell CA, 17(1):48

Driving behaviors following brain injury: Self-report and motor vehicle records, Schultheis MT, Matheis RJ, Nead R, DeLuca J, 17(1):38

Useful field of view after traumatic brain injury, Fisk GD, Novack T, Mennemeier M, Roenker D, 17(1):16

N

Near-infrared spectroscopy

Educational neuroimaging: A proposed neuropsychological application of near-infrared spectroscopy, Zabel TA, Chute DL, 17(5):477

Neuropsychology

Applications of computer-based neuropsychological assessment, Schatz P, Browndyke J, 17(5):395

Development and validation of a Web-based screening tool for monitoring cognitive status, Erlanger DM, Kaushik T, Broshek D, Freeman J, Feldman D, Festa J, 17(5):458

Educational neuroimaging: A proposed neuropsychological application of near-infrared spectroscopy, Zabel TA, Chute DL, 17(5):477

Neuropsychological technologies in rehabilitation, Chute DL, 17(5):369

Virtual reality and neuropsychology: Upgrading the current tools, Schultheis MT, Himelstein J, Rizzo AA, 17(5):378

O

Orientation

Measuring recovery of orientation during acute rehabilitation for traumatic brain injury: Value and expectations of recovery, Alderson AL, Novack TA, 17(3):210

P

Pediatric head injury

Acute characteristics of pediatric dysphagia subsequent to traumatic brain injury: Videofluoroscopic assessment, Morgan A, Ward E, Murdoch B, Bilbie K, 17(3):220

A prospective study of long-term caregiver and family adaptation following brain injury in children, Wade SL, Taylor HG, Drotar D, Stancin T, Yeates KO, Minich NM, 17(2):96

Penetrating injury

Blunt versus penetrating violent traumatic brain injury: Frequency and factors associated with secondary conditions and complications, Black KL, Hanks RA, Wood DL, Zafonte RD, Cullen N, Cifu DX, Englander J, Francisco GE, 17(6):489

Perceptual dysfunction

Attention and driving in traumatic brain injury: A question of coping with time-pressure, Brouwer WH, Withaar FK, Tant MLM, van Zomeren AH, 17(1):1

Pharmacology

Amantadine to improve neurorecovery in traumatic brain injury–associated diffuse axonal injury: A pilot double-blind randomized trial, Meythaler JM, Brunner RC, Johnson A, Novack TA, 17(4):300

Clinical use of cholinomimetic agents: A review, Blount PJ, Nguyen CD, McDeavitt JT, 17(4):314

The cytochrome P-450 drug metabolizing enzyme system: An overview of potential clinically important drug interactions, Wroblewski B, 17(6):571

A differential diagnostic approach to the pharmacological treatment of cognitive, behavioral, and affective disorders after traumatic brain injury, Glenn MB, 17(4):273

Psychostimulant use in the rehabilitation of individuals with traumatic brain injury, Whyte J, Vaccaro M, Grieb-Neff P, Hart T, 17(4):284

Serotonin agents in the treatment of acquired brain injury, Zafonte RD, Cullen N, Lexell J, 17(4):322

Sleep disturbances and their management in patients with brain injury, Thaxton L, Myers MA, 17(4):335

Physostigmine

Clinical use of cholinomimetic agents: A review, Blount PJ, Nguyen CD, McDeavitt JT, 17(4):314

Program evaluation

Morbidity and management conference: An approach to quality improvement in brain injury rehabilitation, Esselman PC, Dillman-Long J, 17(3):257

Psychosis

A differential diagnostic approach to the pharmacological treatment of cognitive, behavioral, and affective disorders after traumatic brain injury, Glenn MB, 17(4):273

Public policy

Funding brain injury programs: The federal appropriations process, Bérubé JE, 17(1):62

Q

Quality improvement

Morbidity and management conference: An approach to quality improvement in brain injury rehabilitation, Esselman PC, Dillman-Long J, 17(3):257

R

Rehabilitation

The benefits of a cognitive orthotic in brain injury rehabilitation, Bergman MM, 17(5):431

Cognitive rehabilitation: A goal-planning approach, Wilson BA, Evans JJ, Keohane C, 17(6):542

Functional magnetic resonance imaging technology and traumatic brain injury rehabilitation: Guidelines for methodological and conceptual pitfalls, Hillary FG, Steffener J, Biswal BB, Lange G, DeLuca J, Ashburner J, 17(5):411

Funding brain injury programs: The federal appropriations process, Bérubé JE, 17(1):62

Historical review of computer-assisted cognitive retraining, Lynch B, 17(5):446

Measuring recovery of orientation during acute rehabilitation for traumatic brain injury: Value and expectations of recovery, Alderson AL, Novack TA, 17(3):210

Morbidity and management conference: An approach to quality improvement in brain injury rehabilitation, Esselman PC, Dillman-Long J, 17(3):257

Neuropsychological technologies in rehabilitation, Chute DL, 17(5):369

Perspectives on rehabilitation of individuals with cognitive impairment after brain injury: Rationale for reconsideration of theoretical paradigms, Ylvisaker M, Hanks R, Johnson-Greene D, 17(3): 191

Psychostimulant use in the rehabilitation of individuals with traumatic brain injury, Whyte J, Vaccaro M, Grieb-Neff P, Hart T, 17(4):284

Retrospective assessment of rehabilitation outcome after traumatic brain injury: Development and utility of the Functional Independence Level, Schatz P, Hillary FG, Moelter ST, Chute DL, 17(6):510

Telerehabilitation needs: A survey of persons with acquired brain injury, Ricker JH, Rosenthal M, Garay E, DeLuca J, Germain A, Abraham-Fuchs K, Schmidt K-U, 17(3):242

Telerehabilitation support for families at home caring for individuals in prolonged states of reduced consciousness, Hauber RP, Jones ML, 17(6):535

Use of a portable voice organizer to remember therapy goals in traumatic brain injury rehabilitation: A within-subjects trial, Hart T, Hawkey K, Whyte J, 17(6):556

Rivastigmine

Clinical use of cholinomimetic agents: A review, Blount PJ, Nguyen CD, McDeavitt JT, 17(4):314

S

Serotonin agents

Serotonin agents in the treatment of acquired brain injury, Zafonte RD, Cullen N, Lexell J, 17(4):322

Sleep disturbances

A differential diagnostic approach to the pharmacological treatment of cognitive, behavioral, and affective disorders after traumatic brain injury, Glenn MB, 17(4):273

Sleep disturbances and their management in patients with brain injury, Thaxton L, Myers MA, 17(4):335

Social work

Effect of a social work liaison program on family caregivers to people with brain injury, Albert SM, Im A, Brenner L, Smith M, Waxman R, 17(2):175

Stimulants

Psychostimulant use in the rehabilitation of individuals with traumatic brain injury, Whyte J, Vaccaro M, Grieb-Neff P, Hart T, 17(4):284

Support systems

Effect of a social work liaison program on family caregivers to people with brain injury, Albert SM, Im A, Brenner L, Smith M, Waxman R, 17(2):175

Peer support in the community: Initial findings of a mentoring program for individuals with traumatic brain injury and their families, Hibbard MR, Cantor J, Charatz H, Rosenthal R, Ashman T, Gundersen N, Ireland-Knight L, Gordon W, Avner J, Gartner A, 17(2):112

Predictors of caregiver and family functioning following traumatic brain injury: Social support moderates caregiver distress, Ergh TC, Rapport LJ, Coleman RD, Hanks RA, 17(2):155

A structured approach to family intervention after brain injury, Kreutzer JS, Kolakowsky-Hayner SA, Demm SR, Meade MA, 17(4):349

Telerehabilitation support for families at home caring for individuals in prolonged states of reduced consciousness, Hauber RP, Jones ML, 17(6):535

Swallowing difficulty

Acute characteristics of pediatric dysphagia subsequent to traumatic brain injury: Videofluoroscopic assessment, Morgan A, Ward E, Murdoch B, Bilbie K, 17(3):220

T

Tacrine

Clinical use of cholinomimetic agents: A review, Blount PJ, Nguyen CD, McDeavitt JT, 17(4):314

Technology

Applications of computer-based neuropsychological assessment, Schatz P, Browndyke J, 17(5):395

The benefits of a cognitive orthotic in brain injury rehabilitation, Bergman MM, 17(5):431

Divided attention and driving: A pilot study using virtual reality technology, Lengenfelder J, Schultheis MT, Al-Shihabi T, Mourant R, DeLuca J, 17(1):26

Educational neuroimaging: A proposed neuropsychological application of near-infrared spectroscopy, Zabel TA, Chute DL, 17(5):477

Functional magnetic resonance imaging technology and traumatic brain injury rehabilitation: Guidelines for methodological and conceptual pitfalls, Hillary FG, Steffener J, Biswal BB, Lange G, DeLuca J, Ashburner J, 17(5):411

Historical review of computer-assisted cognitive retraining, Lynch B, 17(5):446

Neuropsychological technologies in rehabilitation, Chute DL, 17(5):369

Use of a portable voice organizer to remember therapy goals in traumatic brain injury rehabilitation: A within-subjects trial, Hart T, Hawkey K, Whyte J, 17(6):556

Virtual reality and neuropsychology: Upgrading the current tools, Schultheis MT, Himelstein J, Rizzo AA, 17(5):378

Telerehabilitation

Telerehabilitation needs: A survey of persons with acquired brain injury, Ricker JH, Rosenthal M, Garay E, DeLuca J, Germain A, Abraham-Fuchs K, Schmidt K-U, 17(3):242

Telerehabilitation support for families at home caring for individuals in prolonged states of reduced consciousness, Hauber RP, Jones ML, 17(6):535

U

Useful Field of View test

Useful field of view after traumatic brain injury, Fisk GD, Novack T, Mennemeier M, Roenker D, 17(1):16

V

Videofluoroscopy

Acute characteristics of pediatric dysphagia subsequent to traumatic brain injury: Videofluoroscopic assessment, Morgan A, Ward E, Murdoch B, Bilbie K, 17(3):220

Violence

Blunt versus penetrating violent traumatic brain injury: Frequency and factors associated with secondary conditions and complications, Black KL, Hanks RA, Wood DL, Zafonte RD, Cullen N, Cifu DX, Englander J, Francisco GE, 17(6):489

Virtual reality

Divided attention and driving: A pilot study using virtual reality technology, Lengenfelder J, Schultheis MT, Al-Shihabi T, Mourant R, DeLuca J, 17(1):26

Virtual reality and neuropsychology: Upgrading the current tools, Schultheis MT, Himelstein J, Rizzo AA, 17(5):378

Visual acuity

Useful field of view after traumatic brain injury, Fisk GD, Novack T, Mennemeier M, Roenker D, 17(1):16